

FT 4Tinned Copper
600V**ElectroCom®****24 AWG FT4 600V - Unshielded Multi-Conductors**

| Multi | Part No. | Conductor Count | Insulation Thickness | | Cable O.D. | | Cable Weight | | Max Pulling Tension | | Min Bend Radius | |
|-------|-------------|-----------------|----------------------|------|------------|-----|--------------|-------|---------------------|----|-----------------|----|
| | | | in | mm | in | mm | lbs/Mft | kg/km | lbs | kg | in | mm |
| | 6102402TFT4 | 2 | 0.010 | 0.25 | 0.121 | 3.1 | 7 | 11 | 6 | 3 | 1.7 | 43 |
| | 6102403TFT4 | 3 | 0.010 | 0.25 | 0.136 | 3.5 | 11 | 16 | 10 | 4 | 1.9 | 48 |
| | 6102404TFT4 | 4 | 0.010 | 0.25 | 0.147 | 3.7 | 13 | 20 | 13 | 6 | 2.1 | 52 |
| | 6102405TFT4 | 5 | 0.010 | 0.25 | 0.160 | 4.1 | 16 | 23 | 16 | 7 | 2.2 | 57 |
| | 6102406TFT4 | 6 | 0.010 | 0.25 | 0.172 | 4.4 | 19 | 29 | 19 | 9 | 2.4 | 61 |
| | 6102407TFT4 | 7 | 0.010 | 0.25 | 0.184 | 4.7 | 21 | 31 | 23 | 10 | 2.6 | 65 |
| | 6102408TFT4 | 8 | 0.010 | 0.25 | 0.201 | 5.1 | 24 | 35 | 26 | 12 | 2.8 | 71 |
| | 6102409TFT4 | 9 | 0.010 | 0.25 | 0.212 | 5.4 | 28 | 41 | 29 | 13 | 3.0 | 75 |
| | 6102410TFT4 | 10 | 0.010 | 0.25 | 0.226 | 5.7 | 31 | 46 | 32 | 15 | 3.2 | 80 |

Dimensions and weights are nominal and subject to change without notice.

Specifications and Compliances

- CSA C22.2 No. 214/UL 444, Communication Cables (Type CMG)
- CSA C22.2 No. 210, Appliance Wiring Material (Type AWM I/II A/B)
- CSA C22.2 No. 2556 FT4, UL 1685 Vertical-Tray Flame Test
- IEEE 383 & 1202, ICEA T-30-520 (70,000 BTU/hr) Vertical Flame Test rated

Conductor Stranded tinned soft copper, ASTM B8, B33

Insulation Polyvinyl Chloride (SRPVC), 105°C

Jacket Polyvinyl Chloride (PVC)

Applications

- For use in Class 2 circuits, communication, appliance wiring and power limited circuits where not subject to mechanical damage.
- For data processing and similar system connections and inter-connections installed under raised floors as per CE Code Part I 12-020 and NEC 725.154(A).
- For use indoors in raceways; dry or damp locations, exposed and concealed wiring.



Made In Canada

Electro
cables

610-01-B | 109